

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Facility Name	FLOWCHEM RAYNE	Facility ID	5901827
Company Name	FLOWCHEM RAYNE	Facility Email	
Department Name		Mail Address	
Physical Address	289 CUTLASS LOOP , RAYNE, ACADIA county , LA - 70578 , USA	Latitude / Longitude	30.14 / -92.11
Max. No. of Occupants	0 <input type="checkbox"/> Manned <input checked="" type="checkbox"/> Unmanned	Facility Phone Number	
NAICS		Dun & Bradstreet	
TRI Facility ID		RMP Facility ID	
Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)?			<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Subject to Chemical Accident Prevention under Section 112(r) of CAA (40 CFR part 68, Risk Management Program)?			<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Facility Note			

Contact Information	Name (Title)	Phone	Email	Mail address
EMERGENCY CONTACT	KENNETH MARKS (CEO)	3378730171 (Work) 8008730171 (24-Hr)	KMARKS@FLOWCHEM.NET	, , COUNTY, - , USA

Chemical Inventory Information

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
CAS <u>104767</u> Trade Secret <input type="checkbox"/> Chem. Name <u>2 EHTYL HEXANOL</u> Pure <input type="checkbox"/> Mixture <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas <input type="checkbox"/> EHS <input type="checkbox"/> Below Reporting Thresholds <input checked="" type="checkbox"/> State Specific Information No State specific information	Fire <input type="checkbox"/> Pressure <input type="checkbox"/> Reactive <input type="checkbox"/> Acute <input type="checkbox"/> Chronic <input type="checkbox"/>	<u>9,999</u> Max. Daily Amount <u>9,999</u> Avg. Daily Amount <u>0</u> No. of Days On-site		1) WAREHOUSE: Type <u>Steel Drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>64197</u> Trade Secret <input type="checkbox"/> Chem. Name <u>ACETIC ACID</u> Pure <input type="checkbox"/> Mixture <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas <input type="checkbox"/> EHS <input type="checkbox"/> Below Reporting Thresholds <input checked="" type="checkbox"/>	Fire <input type="checkbox"/> Pressure <input type="checkbox"/> Reactive <input type="checkbox"/> Acute <input type="checkbox"/> Chronic <input type="checkbox"/>	<u>999</u> Max. Daily Amount <u>999</u> Avg. Daily Amount <u>0</u> No. of Days On-site		1) WAREHOUSE: Type <u>Plastic or non-metallic drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>

Facility Name: FLOWCHEM RAYNE Facility ID: 5901827

Managed by The University of Texas at Dallas

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
State Specific Information No State specific information				
CAS <u>6813715</u> Trade Secret [] Chem. Name <u>AMINO TRIETHYLPHOSPHATE ESTER</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>9,999</u> Max. Daily Amount <u>9,999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-AMINO TRIETHYLPHOSPHATE ESTER (CAS 6813715) Percentage-25.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Plastic or non-metallic drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>6813715</u> Trade Secret [] Chem. Name <u>AMINO TRIETHYLPHOSPHATE ESTER</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>99,999</u> Max. Daily Amount <u>99,999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-AMINO TRIETHYLPHOSPHATE ESTER (CAS 6813715) Percentage-25.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>192300</u> Trade Secret [] Chem. Name <u>AMMONIUM BISULFITE</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>999</u> Max. Daily Amount <u>999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-AMMONIUM BISULFITE (CAS 192300) Percentage-30.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Plastic or non-metallic drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>1215029</u> Trade Secret [] Chem. Name <u>AMMONIUM CHLORIDE</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS []	Fire [] Pressure [] Reactive [] Acute []	<u>9,999</u> Max. Daily Amount <u>9,999</u> Avg. Daily Amount <u>0</u> No. of Days On-site		1) WAREHOUSE: Type <u>Plastic or non-metallic drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
Below Reporting Thresholds [X]	Chronic []			
State Specific Information No State specific information				
CAS Trade Secret [] Chem. Name <u>ARBREAK 8476(DEMULSIFIER)</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-ETHYLBENZENE (CAS 100414) Percentage-10.0 Unit-Wt Max Amount Code-01 Chemical Name-XYLENE (CAS 1330207) Percentage-30.0 Unit-Wt Max Amount Code-01 Chemical Name-LIGHT AROMATIC NAPTHA (CAS 6472956) Percentage-30.0 Unit-Wt Max Amount Code-01 Chemical Name-1,2,4 TRIMETHYLBENZENE (CAS 95636) Percentage-30.0 Unit-Wt Max Amount Code-01 Chemical Name-XYLENE	1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS Trade Secret [] Chem. Name <u>ARBREAK 8482(DEMULSIFIER)</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X]	Fire [] Pressure [] Reactive [] Acute [] Chronic []	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-ETHYLBENZENE (CAS 100414) Percentage-10.0 Unit-Wt Max Amount Code-01 Chemical Name-XYLENE	1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>

Facility Name: FLOWCHEM RAYNE

Facility ID: 5901827

Managed by The University of Texas at Dallas

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
State Specific Information No State specific information			(CAS 1330207) Percentage-30.0 Unit-Wt Max Amount Code-01	
CAS Trade Secret [] Chem. Name <u>ARBREAK 8757(DEMULSIFIER)</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [X] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-ALKYLBENZENESULFONIC ACID (CAS 6858225) Percentage-30.0 Unit-Wt Max Amount Code-01 Chemical Name-SULFURIC ACID (CAS 7664939) Percentage-20.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS Trade Secret [] Chem. Name <u>ARCOR 5585(CORROSION INHIBITOR)</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-ISOPROPANOL (CAS 67630) Percentage-30.0 Unit-Wt Max Amount Code-01 Chemical Name-METHANOL (CAS 67651) Percentage-10.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>108883</u> Trade Secret [] Chem. Name <u>BENZENE, METHYL</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X]	Fire [] Pressure [] Reactive [] Acute [] Chronic []	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-BENZENE, METHYL (CAS 108883) Percentage-15.0 Unit-Wt	1) WAREHOUSE: Type <u>Steel Drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
State Specific Information No State specific information			Max Amount Code-01	
CAS <u>77929</u> Trade Secret [] Chem. Name <u>CITRIC ACID</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X]	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>999</u> Max. Daily Amount <u>999</u> Avg. Daily Amount <u>0</u> No. of Days On-site		1) WAREHOUSE: Type <u>Plastic or non-metallic drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
State Specific Information No State specific information				
CAS <u>6847630</u> Trade Secret [] Chem. Name <u>DIESEL</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X]	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>9,999</u> Max. Daily Amount <u>9,999</u> Avg. Daily Amount <u>0</u> No. of Days On-site		1) WAREHOUSE: Type <u>Steel Drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
State Specific Information No State specific information				
CAS <u>109864</u> Trade Secret [] Chem. Name <u>ETHYLENE GLYCOL</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X]	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>999</u> Max. Daily Amount <u>999</u> Avg. Daily Amount <u>0</u> No. of Days On-site		1) YARD: Type <u>Plastic or non-metallic drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
State Specific Information No State specific information				
CAS Trade Secret [] Chem. Name <u>FCC5025(CORROSION INHIBITOR)</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS []	Fire [] Pressure [] Reactive [] Acute []	<u>999</u> Max. Daily Amount <u>999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-METHANOL (CAS 67561) Percentage-10.0 Unit-Wt	1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
Below Reporting Thresholds [X] State Specific Information No State specific information	Chronic []		Max Amount Code-01 Chemical Name-ACETIC ACID (CAS 64197) Percentage-30.0 Unit-Wt Max Amount Code-01 Chemical Name-2 PROPANOL (CAS 67630) Percentage-30.0 Unit-Wt Max Amount Code-01	
CAS Trade Secret [] Chem. Name FCC5033(CORROSION INHIBITOR) Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-MORPHOLINE (CAS 6425394) Percentage-30.0 Unit-Wt Max Amount Code-01 Chemical Name-ETHANOL (CAS 111466) Percentage-30.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Steel Drum</u> , Pressure <u>Ambient</u> <u>pressure</u> , Temperature <u>Ambient temperature</u>
CAS Trade Secret [] Chem. Name FCD6004(DEMULSIFIER) Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	9,999 Max. Daily Amount 9,999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-PENTANOL (CAS 71740) Percentage-6.0 Unit-Wt Max Amount Code-01 Chemical Name-HEAVY PETROLEUM NAPHTHA (CAS 6471680) Percentage-60.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient</u> <u>pressure</u> , Temperature <u>Ambient temperature</u>

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
CAS Trade Secret <input type="checkbox"/> Chem. Name FCD6005(DEMULSIFIER) Pure <input type="checkbox"/> Mixture <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas <input type="checkbox"/> EHS <input type="checkbox"/> Below Reporting Thresholds <input checked="" type="checkbox"/> State Specific Information No State specific information	Fire <input type="checkbox"/> Pressure <input type="checkbox"/> Reactive <input type="checkbox"/> Acute <input type="checkbox"/> Chronic <input type="checkbox"/>	9,999 Max. Daily Amount 9,999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-PENTANOL (CAS 71740) Percentage-5.0 Unit-Wt Max Amount Code-01 Chemical Name-HEAVY PETROLEUM NAPTHA (CAS 6471680) Percentage-60.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Steel Drum</u> , Pressure <u>Ambient</u> <u>pressure</u> , Temperature <u>Ambient temperature</u>
CAS Trade Secret <input type="checkbox"/> Chem. Name FCD6010(DEMULSIFIER) Pure <input type="checkbox"/> Mixture <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas <input type="checkbox"/> EHS <input type="checkbox"/> Below Reporting Thresholds <input checked="" type="checkbox"/> State Specific Information No State specific information	Fire <input type="checkbox"/> Pressure <input type="checkbox"/> Reactive <input type="checkbox"/> Acute <input type="checkbox"/> Chronic <input type="checkbox"/>	9,999 Max. Daily Amount 9,999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-ACETIC ACID (CAS 64197) Percentage-30.0 Unit-Wt Max Amount Code-01 Chemical Name-LIGHT AROMATIC NAPTHA (CAS 6472495) Percentage-10.0 Unit-Wt Max Amount Code-01 Chemical Name-2 PROPANOL (CAS 67630) Percentage-10.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient</u> <u>pressure</u> , Temperature <u>Ambient temperature</u>
CAS Trade Secret <input type="checkbox"/> Chem. Name FCD6011(DEMULSIFIER) Pure <input type="checkbox"/> Mixture <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas <input type="checkbox"/> EHS <input type="checkbox"/> Below Reporting Thresholds <input checked="" type="checkbox"/> Facility Name: FLOWCHEM RAYNE	Fire <input type="checkbox"/> Pressure <input type="checkbox"/> Reactive <input type="checkbox"/> Acute <input type="checkbox"/> Chronic <input type="checkbox"/>	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-LIGHT AROMATIC NAPTHA (CAS 6472495) Percentage-9.0 Unit-Wt	1) WAREHOUSE: Type <u>Steel Drum</u> , Pressure <u>Ambient</u> <u>pressure</u> , Temperature <u>Ambient temperature</u>

Facility ID: 5901827

Managed by The University of Texas at Dallas

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
State Specific Information No State specific information			Max Amount Code-01 Chemical Name-2 PROPANOL (CAS 67630) Percentage-5.0 Unit-Wt Max Amount Code-01 Chemical Name-ACETIC ACID (CAS 64197) Percentage-30.0 Unit-Wt Max Amount Code-01	
CAS Trade Secret [] Chem. Name FCD6012(DEMULSIFIER) Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-ACETIC (CAS 64197) Percentage-2.0 Unit-Wt Max Amount Code-01 Chemical Name-2 PROPANOL (CAS 67300) Percentage-5.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type Plastic or non-metallic drum, Pressure Ambient pressure, Temperature Ambient temperature
CAS Trade Secret [] Chem. Name FCD6022(DEMULSIFIER) Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-PHOSPHORIC ACID (CAS 7664382) Percentage-50.0 Unit-Wt Max Amount Code-01 Chemical Name-2 PROPANOL (CAS 67630) Percentage-20.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type Plastic or non-metallic drum, Pressure Ambient pressure, Temperature Ambient temperature

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
			Chemical Name-ALKYLBENZENESULFONATE (CAS 2717870) Percentage-20.0 Unit-Wt Max Amount Code-01	
CAS Trade Secret [] Chem. Name FCD6023(EMULSION BREAKER) Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-2 PROPANOL (CAS 67630) Percentage-50.0 Unit-Wt Max Amount Code-01 Chemical Name-XYLENE (CAS 1330207) Percentage-2.0 Unit-Wt Max Amount Code-01 Chemical Name-PHOSPHORIC ACID (CAS 7664382) Percentage-25.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Steel Drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS Trade Secret [] Chem. Name FCD6032(DEMULSIFIER) Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-TRIMETHYLBENZENE (CAS 2551137) Percentage-5.0 Unit-Wt Max Amount Code-01 Chemical Name-ETHYL BENZENE (CAS 100414) Percentage-8.0 Unit-Wt	1) WAREHOUSE: Type <u>Steel Drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
			Max Amount Code-01 Chemical Name-2 PROPANOL (CAS 67630) Percentage-5.0 Unit-Wt Max Amount Code-01	
CAS Trade Secret [] Chem. Name FCD6033(DEMULSIFIER) Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	9,999 Max. Daily Amount 9,999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-TRIMETHYLBENZENE (CAS 2551137) Percentage-5.0 Unit-Wt Max Amount Code-01 Chemical Name-2 PROPANOL (CAS 67630) Percentage-6.0 Unit-Wt Max Amount Code-01 Chemical Name-ETHYL BENZENE (CAS 100414) Percentage-10.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Steel Drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS Trade Secret [] Chem. Name FCD6033(DEMULSIFIER) Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-XYLENE (CAS 1330207) Percentage-2.0 Unit-Wt Max Amount Code-01 Chemical Name-TRIMETHYLBENZENE (CAS 2551137) Percentage-5.0 Unit-Wt	1) WAREHOUSE: Type <u>Steel Drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
			Max Amount Code-01 Chemical Name-2 PROPANOL (CAS 67630) Percentage-10.0 Unit-Wt Max Amount Code-01 Chemical Name-ETHYL BENZENE (CAS 100414) Percentage-10.0 Unit-Wt Max Amount Code-01	
CAS Trade Secret [] Chem. Name FCD6079(DEMULSIFIER) Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-ALKYLBENZENESULFONATE (CAS 2176870) Percentage-5.0 Unit-Wt Max Amount Code-01 Chemical Name-ETHYL BENZENE (CAS 100414) Percentage-10.0 Unit-Wt Max Amount Code-01 Chemical Name-2 PROPANOL (CAS 67630) Percentage-5.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type Tote bin, Pressure Ambient pressure, Temperature Ambient temperature
CAS Trade Secret [] Chem. Name FCD6080(DEMULSIFIER) Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X]	Fire [] Pressure [] Reactive [] Acute [] Chronic []	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-2 PROPANOL (CAS 67630) Percentage-5.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type Tote bin, Pressure Ambient pressure, Temperature Ambient temperature

Facility Name: FLOWCHEM RAYNE

Facility ID: 5901827

Managed by The University of Texas at Dallas

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
State Specific Information No State specific information			Chemical Name-ACETIC ACID (CAS 64197) Percentage-10.0 Unit-Wt Max Amount Code-01 Chemical Name-ETHYL BENZENE (CAS 100414) Percentage-20.0 Unit-Wt Max Amount Code-01 Chemical Name-XYLENE (CAS 1330307) Percentage-10.0 Unit-Wt Max Amount Code-01	
CAS Trade Secret <input type="checkbox"/> Chem. Name FCD6118(DEMULSIFIER) Pure <input type="checkbox"/> Mixture <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas <input type="checkbox"/> EHS <input type="checkbox"/> Below Reporting Thresholds <input checked="" type="checkbox"/> State Specific Information No State specific information	Fire <input type="checkbox"/> Pressure <input type="checkbox"/> Reactive <input type="checkbox"/> Acute <input type="checkbox"/> Chronic <input type="checkbox"/>	9,999 Max. Daily Amount 9,999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-TOLUENE (CAS 108883) Percentage-36.0 Unit-Wt Max Amount Code-01 Chemical Name-ETHYL BENZENE (CAS 100414) Percentage-10.0 Unit-Wt Max Amount Code-01 Chemical Name-XYLENE (CAS 1330207) Percentage-38.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type Tote bin, Pressure Ambient pressure, Temperature Ambient temperature
CAS Trade Secret <input type="checkbox"/> Chem. Name FCD6120(DEMULSIFIER)	Fire <input type="checkbox"/> Pressure <input type="checkbox"/>	9,999 Max. Daily Amount 9,999 Avg. Daily Amount	Chemical Name-AROMATIC HYDROCARBONS	1) WAREHOUSE: Type Tote bin, Pressure Ambient pressure, Temperature Ambient temperature

Facility Name: FLOWCHEM RAYNE Facility ID: 5901827

Managed by The University of Texas at Dallas

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
Pure <input type="checkbox"/> Mixture <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas <input type="checkbox"/> EHS <input type="checkbox"/> Below Reporting Thresholds <input checked="" type="checkbox"/> State Specific Information No State specific information	Reactive <input type="checkbox"/> Acute <input type="checkbox"/> Chronic <input type="checkbox"/>	0 No. of Days On-site	(CAS 6474478) Percentage-15.0 Unit-Wt Max Amount Code-01 Chemical Name-PETROLEUM DISTILLATES (CAS 6474478) Percentage-15.0 Unit-Wt Max Amount Code-01 Chemical Name-2 PROPANOL (CAS 67630) Percentage-15.0 Unit-Wt Max Amount Code-01	
CAS Trade Secret <input type="checkbox"/> Chem. Name <u>FCDF4000(DEFOAMER)</u> Pure <input type="checkbox"/> Mixture <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas <input type="checkbox"/> EHS <input type="checkbox"/> Below Reporting Thresholds <input checked="" type="checkbox"/> State Specific Information No State specific information	Fire <input type="checkbox"/> Pressure <input type="checkbox"/> Reactive <input type="checkbox"/> Acute <input type="checkbox"/> Chronic <input type="checkbox"/>	9,999 Max. Daily Amount 9,999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-DIESEL (CAS 6847634) Percentage-90.0 Unit-Wt Max Amount Code-01 Chemical Name-SILICONE (CAS 6314629) Percentage-7.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type Steel Drum, Pressure <u>Ambient</u> <u>pressure</u> , Temperature <u>Ambient temperature</u>
CAS Trade Secret <input type="checkbox"/> Chem. Name <u>FCHS8012(H2S SCAVENGER)</u> Pure <input type="checkbox"/> Mixture <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas <input type="checkbox"/> EHS <input checked="" type="checkbox"/> Below Reporting Thresholds <input checked="" type="checkbox"/> State Specific Information	Fire <input type="checkbox"/> Pressure <input type="checkbox"/> Reactive <input type="checkbox"/> Acute <input type="checkbox"/> Chronic <input type="checkbox"/>	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-FORMALDEHYDE (CAS 50000) Percentage-8.0 Unit-Wt Max Amount Code-01 Chemical Name-METHANOL (CAS 67561)	1) WAREHOUSE: Type Tote bin, Pressure <u>Ambient</u> <u>pressure</u> , Temperature <u>Ambient temperature</u>

Facility Name: FLOWCHEM RAYNE

Facility ID: 5901827

Managed by The University of Texas at Dallas

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
No State specific information			Percentage-8.0 Unit-Wt Max Amount Code-01	
CAS Trade Secret <input type="checkbox"/> Chem. Name <u>FCMPP002(MULTI PURPOSE PRODUCT)</u> Pure <input type="checkbox"/> Mixture <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas <input type="checkbox"/> EHS <input type="checkbox"/> Below Reporting Thresholds <input checked="" type="checkbox"/> State Specific Information No State specific information	Fire <input type="checkbox"/> Pressure <input type="checkbox"/> Reactive <input type="checkbox"/> Acute <input type="checkbox"/> Chronic <input type="checkbox"/>	<u>9,999</u> Max. Daily Amount <u>9,999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-METHANOL (CAS 67511) Percentage-15.0 Unit-Wt Max Amount Code-01 Chemical Name-2 PROPANOL (CAS 67630) Percentage-15.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS Trade Secret <input type="checkbox"/> Chem. Name <u>FCP7004(PARAFFIN INHIBITOR)</u> Pure <input type="checkbox"/> Mixture <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas <input type="checkbox"/> EHS <input checked="" type="checkbox"/> Below Reporting Thresholds <input type="checkbox"/> State Specific Information No State specific information	Fire <input type="checkbox"/> Pressure <input type="checkbox"/> Reactive <input type="checkbox"/> Acute <input type="checkbox"/> Chronic <input type="checkbox"/>	<u>9,999</u> Max. Daily Amount <u>9,999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-PHENOL (CAS 108952) Percentage-10.0 Unit-Wt Max Amount Code-01 Chemical Name-XYLENE (CAS 1330207) Percentage-50.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS Trade Secret <input type="checkbox"/> Chem. Name <u>FCP7015(PARAFFIN INHIBITOR)</u> Pure <input type="checkbox"/> Mixture <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas <input type="checkbox"/> EHS <input type="checkbox"/> Below Reporting Thresholds <input checked="" type="checkbox"/> State Specific Information No State specific information	Fire <input type="checkbox"/> Pressure <input type="checkbox"/> Reactive <input type="checkbox"/> Acute <input type="checkbox"/> Chronic <input type="checkbox"/>	<u>999</u> Max. Daily Amount <u>999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-BENZENE METHYL (CAS 108883) Percentage-85.0 Unit-Wt Max Amount Code-01 Chemical Name-PETROLEUM DISTILLATES	1) WAREHOUSE: Type <u>Steel Drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
			(CAS 6474558) Percentage-5.0 Unit-Wt Max Amount Code-01	
CAS Trade Secret <input type="checkbox"/> Chem. Name <u>FCP7022(PARAFFIN INHIBITOR)</u> Pure <input type="checkbox"/> Mixture <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas <input type="checkbox"/> EHS <input type="checkbox"/> Below Reporting Thresholds <input checked="" type="checkbox"/> State Specific Information No State specific information	Fire <input type="checkbox"/> Pressure <input type="checkbox"/> Reactive <input type="checkbox"/> Acute <input type="checkbox"/> Chronic <input type="checkbox"/>	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-XYLENE (CAS 1330207) Percentage-30.0 Unit-Wt Max Amount Code-01 Chemical Name-TOLUENE (CAS 108883) Percentage-15.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Steel Drum</u> , Pressure <u>Ambient</u> <u>pressure</u> , Temperature <u>Ambient temperature</u>
CAS Trade Secret <input type="checkbox"/> Chem. Name <u>FCP7023(PARAFFIN INHIBITOR)</u> Pure <input type="checkbox"/> Mixture <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas <input type="checkbox"/> EHS <input type="checkbox"/> Below Reporting Thresholds <input checked="" type="checkbox"/> State Specific Information No State specific information	Fire <input type="checkbox"/> Pressure <input type="checkbox"/> Reactive <input type="checkbox"/> Acute <input type="checkbox"/> Chronic <input type="checkbox"/>	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-NAPTHENE (CAS 91203) Percentage-20.0 Unit-Wt Max Amount Code-01 Chemical Name-PETROLEUM DISTILLATES (CAS 6472558) Percentage-50.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Steel Drum</u> , Pressure <u>Ambient</u> <u>pressure</u> , Temperature <u>Ambient temperature</u>
CAS Trade Secret <input type="checkbox"/> Chem. Name <u>FCP7024(PARAFFIN INHIBITOR)</u> Pure <input type="checkbox"/> Mixture <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas <input type="checkbox"/> EHS <input checked="" type="checkbox"/> Below Reporting Thresholds <input checked="" type="checkbox"/>	Fire <input type="checkbox"/> Pressure <input type="checkbox"/> Reactive <input type="checkbox"/> Acute <input type="checkbox"/> Chronic <input type="checkbox"/>	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-XYLENE (CAS 1330207) Percentage-50.0 Unit-Wt Max Amount Code-01 Chemical Name-PHENOL	1) WAREHOUSE: Type <u>Steel Drum</u> , Pressure <u>Ambient</u> <u>pressure</u> , Temperature <u>Ambient temperature</u>

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
State Specific Information No State specific information			(CAS 108952) Percentage-10.0 Unit-Wt Max Amount Code-01	
CAS Trade Secret <input type="checkbox"/> Chem. Name <u>FCP7025(PARAFFIN INHIBITOR)</u> Pure <input type="checkbox"/> Mixture <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas <input type="checkbox"/> EHS <input checked="" type="checkbox"/> Below Reporting Thresholds <input checked="" type="checkbox"/> State Specific Information No State specific information	Fire <input type="checkbox"/> Pressure <input type="checkbox"/> Reactive <input type="checkbox"/> Acute <input type="checkbox"/> Chronic <input type="checkbox"/>	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-XYLENE (CAS 1330207) Percentage-50.0 Unit-Wt Max Amount Code-01 Chemical Name-PHENOL (CAS 108952) Percentage-10.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Steel Drum</u> , Pressure <u>Ambient</u> <u>pressure</u> , Temperature <u>Ambient temperature</u>
CAS Trade Secret <input type="checkbox"/> Chem. Name <u>FCP7026(PARAFFIN INHIBITOR)</u> Pure <input type="checkbox"/> Mixture <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas <input type="checkbox"/> EHS <input checked="" type="checkbox"/> Below Reporting Thresholds <input checked="" type="checkbox"/> State Specific Information No State specific information	Fire <input type="checkbox"/> Pressure <input type="checkbox"/> Reactive <input type="checkbox"/> Acute <input type="checkbox"/> Chronic <input type="checkbox"/>	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-PHENOL (CAS 108952) Percentage-10.0 Unit-Wt Max Amount Code-01 Chemical Name-XYLENE (CAS 1330207) Percentage-50.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Steel Drum</u> , Pressure <u>Ambient</u> <u>pressure</u> , Temperature <u>Ambient temperature</u>
CAS Trade Secret <input type="checkbox"/> Chem. Name <u>FCP7513(PARAFFIN INHIBITOR)</u> Pure <input type="checkbox"/> Mixture <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas <input type="checkbox"/> EHS <input type="checkbox"/> Below Reporting Thresholds <input checked="" type="checkbox"/> State Specific Information	Fire <input type="checkbox"/> Pressure <input type="checkbox"/> Reactive <input type="checkbox"/> Acute <input type="checkbox"/> Chronic <input type="checkbox"/>	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-TOLUENE (CAS 108883) Percentage-52.0 Unit-Wt Max Amount Code-01 Chemical Name-PETROLEUM DISTILLATE	1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient</u> <u>pressure</u> , Temperature <u>Ambient temperature</u>

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
No State specific information			(CAS 6472558) Percentage-33.0 Unit-Wt Max Amount Code-01	
CAS Trade Secret <input type="checkbox"/> Chem. Name FCP7524(PARAFFIN INHIBITOR) Pure <input type="checkbox"/> Mixture <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas <input type="checkbox"/> EHS <input type="checkbox"/> Below Reporting Thresholds <input checked="" type="checkbox"/> State Specific Information No State specific information	Fire <input type="checkbox"/> Pressure <input type="checkbox"/> Reactive <input type="checkbox"/> Acute <input type="checkbox"/> Chronic <input type="checkbox"/>	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-HEXANE (CAS 100543) Percentage-80.0 Unit-Wt Max Amount Code-01 Chemical Name-ACETIC ACID (CAS 64197) Percentage-10.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Steel Drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS Trade Secret <input type="checkbox"/> Chem. Name FCSF9005(SURFACTANT) Pure <input type="checkbox"/> Mixture <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas <input type="checkbox"/> EHS <input type="checkbox"/> Below Reporting Thresholds <input checked="" type="checkbox"/> State Specific Information No State specific information	Fire <input type="checkbox"/> Pressure <input type="checkbox"/> Reactive <input type="checkbox"/> Acute <input type="checkbox"/> Chronic <input type="checkbox"/>	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-PHOSPHORIC ACID (CAS 7664382) Percentage-5.0 Unit-Wt Max Amount Code-01 Chemical Name-2 PROPANOL (CAS 67630) Percentage-5.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Plastic or non-metallic drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS 500000 Trade Secret <input type="checkbox"/> Chem. Name FORMALDEHYDE Pure <input type="checkbox"/> Mixture <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas <input type="checkbox"/> EHS <input type="checkbox"/> Below Reporting Thresholds <input checked="" type="checkbox"/>	Fire <input type="checkbox"/> Pressure <input type="checkbox"/> Reactive <input type="checkbox"/> Acute <input type="checkbox"/> Chronic <input type="checkbox"/>	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-FORMALDEHYDE (CAS 500000) Percentage-1.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Steel Drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
State Specific Information No State specific information				
CAS <u>9004536</u> Trade Secret [] Chem. Name <u>GLUTARALDEHYDE</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X]	Fire [] Pressure [] Reactive [] Acute [] Chronic []	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site		1) YARD: Type <u>Plastic or non-metallic drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
State Specific Information No State specific information				
CAS <u>9050571</u> Trade Secret [] Chem. Name <u>GLYCOL</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X]	Fire [] Pressure [] Reactive [] Acute [] Chronic []	9,999 Max. Daily Amount 9,999 Avg. Daily Amount 0 No. of Days On-site		1) WAREHOUSE: Type <u>Steel Drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
State Specific Information No State specific information				
CAS <u>110805</u> Trade Secret [] Chem. Name <u>GLYCOL ETHER</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X]	Fire [] Pressure [] Reactive [] Acute [] Chronic []	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site		1) YARD: Type <u>Plastic or non-metallic drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
State Specific Information No State specific information				
CAS <u>64742956</u> Trade Secret [] Chem. Name <u>HEAVY AROMATIC NAPHTHA</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X]	Fire [] Pressure [] Reactive [] Acute [] Chronic []	9,999 Max. Daily Amount 9,999 Avg. Daily Amount 0 No. of Days On-site		1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
State Specific Information No State specific information				
CAS <u>6471680</u> Trade Secret [] Chem. Name <u>HEAVY PETROLEUM NAPTHA</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>99,999</u> Max. Daily Amount <u>99,999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-HEAVY PETROLEUM NAPTHA (CAS 6471680) Percentage-60.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>6471680</u> Trade Secret [] Chem. Name <u>HEAVY PETROLEUM NAPTHA</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>99,999</u> Max. Daily Amount <u>99,999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-HEAVY PETROLEUM NAPTHA (CAS 6471680) Percentage-60.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>110543</u> Trade Secret [] Chem. Name <u>HEXANE</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>9,999</u> Max. Daily Amount <u>9,999</u> Avg. Daily Amount <u>0</u> No. of Days On-site		1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>100543</u> Trade Secret [] Chem. Name <u>HEXANE</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS []	Fire [] Pressure [] Reactive [] Acute []	<u>999</u> Max. Daily Amount <u>999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-HEXANE (CAS 100543) Percentage-25.0 Unit-Wt	1) WAREHOUSE: Type <u>Steel Drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
Below Reporting Thresholds [X] State Specific Information No State specific information	Chronic []		Max Amount Code-01	
CAS <u>100543</u> Trade Secret [] Chem. Name <u>HEXANE</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>9,999</u> Max. Daily Amount <u>9,999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-HEXANE (CAS 100543) Percentage-85.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>100543</u> Trade Secret [] Chem. Name <u>HEXANE</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>9,999</u> Max. Daily Amount <u>9,999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-HEXANE (CAS 100543) Percentage-85.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>100543</u> Trade Secret [] Chem. Name <u>HEXANE</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>999</u> Max. Daily Amount <u>999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-HEXANE (CAS 100543) Percentage-50.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Steel Drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>7647010</u> Trade Secret [] Chem. Name <u>HYDROCHLORIC ACID</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] State Specific Information No State specific information	Fire [] Pressure [] Reactive []	<u>999</u> Max. Daily Amount <u>999</u> Avg. Daily Amount <u>0</u> No. of Days On-site		1) WAREHOUSE: Type <u>Plastic or non-metallic drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
EHS <input type="checkbox"/> Below Reporting Thresholds <input checked="" type="checkbox"/> State Specific Information No State specific information	Acute <input type="checkbox"/> Chronic <input type="checkbox"/>			
CAS <u>7647010</u> Trade Secret <input type="checkbox"/> Chem. Name <u>HYDROCHLORIC ACID</u> Pure <input type="checkbox"/> Mixture <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas <input type="checkbox"/> EHS <input type="checkbox"/> Below Reporting Thresholds <input checked="" type="checkbox"/> State Specific Information No State specific information	Fire <input type="checkbox"/> Pressure <input type="checkbox"/> Reactive <input type="checkbox"/> Acute <input type="checkbox"/> Chronic <input type="checkbox"/>	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site		1) WAREHOUSE: Type Plastic or non-metallic drum, Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>7647011</u> Trade Secret <input type="checkbox"/> Chem. Name <u>HYDROCHLORIC ACID</u> Pure <input type="checkbox"/> Mixture <input checked="" type="checkbox"/> Solid <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Gas <input type="checkbox"/> EHS <input type="checkbox"/> Below Reporting Thresholds <input checked="" type="checkbox"/> State Specific Information No State specific information	Fire <input type="checkbox"/> Pressure <input type="checkbox"/> Reactive <input type="checkbox"/> Acute <input type="checkbox"/> Chronic <input type="checkbox"/>	9,999 Max. Daily Amount 9,999 Avg. Daily Amount 0 No. of Days On-site		1) WAREHOUSE: Type Plastic or non-metallic drum, Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>7647010</u> Trade Secret <input type="checkbox"/> Chem. Name <u>HYDROGEN CHLORIDE</u> Pure <input type="checkbox"/> Mixture <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas <input type="checkbox"/> EHS <input type="checkbox"/> Below Reporting Thresholds <input checked="" type="checkbox"/> State Specific Information No State specific information	Fire <input type="checkbox"/> Pressure <input type="checkbox"/> Reactive <input type="checkbox"/> Acute <input type="checkbox"/> Chronic <input type="checkbox"/>	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-HYDROGEN CHLORIDE (CAS 7647010) Percentage-30.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>67630</u> Trade Secret <input type="checkbox"/> Chem. Name <u>ISOPROPANOL</u>	Fire <input type="checkbox"/> Pressure <input type="checkbox"/>	999 Max. Daily Amount 999 Avg. Daily Amount	Chemical Name-ISOPROPANOL (CAS 67630)	1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
Pure <input type="checkbox"/> Mixture <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas <input type="checkbox"/> EHS <input type="checkbox"/> Below Reporting Thresholds <input checked="" type="checkbox"/> State Specific Information No State specific information	Reactive <input type="checkbox"/> Acute <input type="checkbox"/> Chronic <input type="checkbox"/>	0 No. of Days On-site	Percentage-30.0 Unit-Wt Max Amount Code-01	
CAS <u>67630</u> Trade Secret <input type="checkbox"/> Chem. Name <u>ISOPROPANOL</u> Pure <input type="checkbox"/> Mixture <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas <input type="checkbox"/> EHS <input type="checkbox"/> Below Reporting Thresholds <input checked="" type="checkbox"/> State Specific Information No State specific information	Fire <input type="checkbox"/> Pressure <input type="checkbox"/> Reactive <input type="checkbox"/> Acute <input type="checkbox"/> Chronic <input type="checkbox"/>	<u>9,999</u> Max. Daily Amount <u>9,999</u> Avg. Daily Amount 0 No. of Days On-site		1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>67630</u> Trade Secret <input type="checkbox"/> Chem. Name <u>ISOPROPYL ALCOHOL</u> Pure <input type="checkbox"/> Mixture <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas <input type="checkbox"/> EHS <input type="checkbox"/> Below Reporting Thresholds <input checked="" type="checkbox"/> State Specific Information No State specific information	Fire <input type="checkbox"/> Pressure <input type="checkbox"/> Reactive <input type="checkbox"/> Acute <input type="checkbox"/> Chronic <input type="checkbox"/>	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site		1) YARD: Type <u>Steel Drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>8008206</u> Trade Secret <input type="checkbox"/> Chem. Name <u>KEROSENE</u> Pure <input type="checkbox"/> Mixture <input checked="" type="checkbox"/> Solid <input type="checkbox"/> Liquid <input checked="" type="checkbox"/> Gas <input type="checkbox"/> EHS <input type="checkbox"/> Below Reporting Thresholds <input checked="" type="checkbox"/> State Specific Information No State specific information	Fire <input type="checkbox"/> Pressure <input type="checkbox"/> Reactive <input type="checkbox"/> Acute <input type="checkbox"/> Chronic <input type="checkbox"/>	<u>9,999</u> Max. Daily Amount <u>9,999</u> Avg. Daily Amount 0 No. of Days On-site		1) WAREHOUSE: Type <u>Steel Drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
CAS <u>96480</u> Trade Secret [] Chem. Name <u>LACTONE</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>999</u> Max. Daily Amount <u>999</u> Avg. Daily Amount <u>0</u> No. of Days On-site		1) WAREHOUSE: Type <u>Steel Drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>3902714</u> Trade Secret [] Chem. Name <u>LACTONE</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>9,999</u> Max. Daily Amount <u>9,999</u> Avg. Daily Amount <u>0</u> No. of Days On-site		1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>67561</u> Trade Secret [] Chem. Name <u>METHANOL</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>999</u> Max. Daily Amount <u>999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-METHANOL (CAS 67561) Percentage-2.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Plastic or non-metallic drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>67561</u> Trade Secret [] Chem. Name <u>METHANOL</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>999</u> Max. Daily Amount <u>999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-METHANOL (CAS 67561) Percentage-18.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
No State specific information				
CAS <u>67561</u> Trade Secret [] Chem. Name <u>METHANOL</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>999</u> Max. Daily Amount <u>999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-METHANOL (CAS 67561) Percentage-30.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>67561</u> Trade Secret [] Chem. Name <u>METHANOL</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>9,999</u> Max. Daily Amount <u>9,999</u> Avg. Daily Amount <u>0</u> No. of Days On-site		1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>67561</u> Trade Secret [] Chem. Name <u>METHANOL</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>999</u> Max. Daily Amount <u>999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-METHANOL (CAS 67561) Percentage-45.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>6815292</u> Trade Secret [] Chem. Name <u>NONYLPHENOL</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X]	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>99</u> Max. Daily Amount <u>99</u> Avg. Daily Amount <u>0</u> No. of Days On-site		1) YARD: Type <u>Steel Drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
State Specific Information No State specific information				
CAS <u>6813715</u> Trade Secret [] Chem. Name <u>PHOSPHATE ESTER</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X]	Fire [] Pressure [] Reactive [] Acute [] Chronic []	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-PHOSPHATE ESTER (CAS 6813715) Percentage-10.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Steel Drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
State Specific Information No State specific information				
CAS <u>6813715</u> Trade Secret [] Chem. Name <u>PHOSPHATE ESTER</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X]	Fire [] Pressure [] Reactive [] Acute [] Chronic []	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-PHOSPHATE ESTER (CAS 6813715) Percentage-13.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Plastic or non-metallic drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
State Specific Information No State specific information				
CAS <u>6813715</u> Trade Secret [] Chem. Name <u>PHOSPHATE ESTER</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X]	Fire [] Pressure [] Reactive [] Acute [] Chronic []	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-PHOSPHATE ESTER (CAS 6813715) Percentage-15.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Plastic or non-metallic drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
State Specific Information No State specific information				
CAS <u>6813715</u> Trade Secret [] Chem. Name <u>PHOSPHATE ESTER</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X]	Fire [] Pressure [] Reactive [] Acute [] Chronic []	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-PHOSPHATE ESTER (CAS 6813715) Percentage-25.0 Unit-Wt	1) WAREHOUSE: Type <u>Plastic or non-metallic drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
State Specific Information No State specific information			Max Amount Code-01	
CAS <u>6813715</u> Trade Secret [] Chem. Name <u>PHOSPHATE ESTER</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>999</u> Max. Daily Amount <u>999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-PHOSPHATE ESTER (CAS 6813715) Percentage-20.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Steel Drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>6149298</u> Trade Secret [] Chem. Name <u>PHOSPHORIC ACID</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>9,999</u> Max. Daily Amount <u>9,999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-PHOSPHORIC ACID (CAS 6149298) Percentage-5.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Plastic or non-metallic drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>7601549</u> Trade Secret [] Chem. Name <u>PHOSPHORIC ACID</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>9,999</u> Max. Daily Amount <u>9,999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-PHOSPHORIC ACID (CAS 7601549) Percentage-5.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Plastic or non-metallic drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>7664382</u> Trade Secret [] Chem. Name <u>PHOSPHORIC ACID</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS []	Fire [] Pressure [] Reactive [] Acute []	<u>9,999</u> Max. Daily Amount <u>9,999</u> Avg. Daily Amount <u>0</u> No. of Days On-site		1) WAREHOUSE: Type <u>Plastic or non-metallic drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
Below Reporting Thresholds [X] State Specific Information No State specific information	Chronic []			
CAS <u>7766438</u> Trade Secret [] Chem. Name <u>PHOSPHORIC ACID</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>9,999</u> Max. Daily Amount <u>9,999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-PHOSPHORIC ACID (CAS 7766438) Percentage-5.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Plastic or non-metallic drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>6149298</u> Trade Secret [] Chem. Name <u>PHOSPHORIC ACID</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>9,999</u> Max. Daily Amount <u>9,999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-PHOSPHORIC ACID (CAS 6149298) Percentage-5.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Plastic or non-metallic drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>1310732</u> Trade Secret [] Chem. Name <u>SODIUM HYDROXIDE</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>999</u> Max. Daily Amount <u>999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-SODIUM HYDROXIDE (CAS 1310732) Percentage-25.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Plastic or non-metallic drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>1310732</u> Trade Secret [] Chem. Name <u>SODIUM HYDROXIDE</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] State Specific Information No State specific information	Fire [] Pressure [] Reactive []	<u>999</u> Max. Daily Amount <u>999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-SODIUM HYDROXIDE (CAS 1310732)	1) WAREHOUSE: Type <u>Plastic or non-metallic drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Acute [] Chronic []		Percentage-5.0 Unit-Wt Max Amount Code-01	
CAS <u>1310732</u> Trade Secret [] Chem. Name <u>SODIUM HYDROXIDE</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>999</u> Max. Daily Amount <u>999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-SODIUM HYDROXIDE (CAS 1310732) Percentage-30.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>1310732</u> Trade Secret [] Chem. Name <u>SODIUM HYDROXIDE</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>999</u> Max. Daily Amount <u>999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-SODIUM HYDROXIDE (CAS 1310732) Percentage-5.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Plastic or non-metallic drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>1310732</u> Trade Secret [] Chem. Name <u>SODIUM HYDROXIDE</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>9,999</u> Max. Daily Amount <u>9,999</u> Avg. Daily Amount <u>0</u> No. of Days On-site		1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
CAS <u>1310732</u> Trade Secret [] Chem. Name <u>SODIUM HYDROXIDE</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-SODIUM HYDROXIDE (CAS 1310732) Percentage-20.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type Plastic or non-metallic drum, Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>1310732</u> Trade Secret [] Chem. Name <u>SODIUM HYRDOXIDE</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-SODIUM HYRDOXIDE (CAS 1310732) Percentage-12.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type Plastic or non-metallic drum, Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>1300727</u> Trade Secret [] Chem. Name <u>SODIUM XYLENE SULFONATE</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site		1) WAREHOUSE: Type Steel Drum, Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>1310732</u> Trade Secret [] Chem. Name <u>SODLIUM HYDROXIDE</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	999 Max. Daily Amount 999 Avg. Daily Amount 0 No. of Days On-site	Chemical Name-SODLIUM HYDROXIDE (CAS 1310732) Percentage-30.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type Plastic or non-metallic drum, Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
No State specific information				
CAS <u>6778780</u> Trade Secret [] Chem. Name <u>SOY METHYL ESTER</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>999</u> Max. Daily Amount <u>999</u> Avg. Daily Amount <u>0</u> No. of Days On-site		1) YARD: Type <u>Steel Drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>6350225</u> Trade Secret [] Chem. Name <u>THPS</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>999</u> Max. Daily Amount <u>999</u> Avg. Daily Amount <u>0</u> No. of Days On-site		1) YARD: Type <u>Steel Drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>108883</u> Trade Secret [] Chem. Name <u>TOLUENE</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X] State Specific Information No State specific information	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>9,999</u> Max. Daily Amount <u>9,999</u> Avg. Daily Amount <u>0</u> No. of Days On-site		1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
CAS <u>112276</u> Trade Secret [] Chem. Name <u>TRIETHYLENE GLYCOL</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X]	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>9,999</u> Max. Daily Amount <u>9,999</u> Avg. Daily Amount <u>0</u> No. of Days On-site		1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
State Specific Information No State specific information				
CAS <u>112276</u> Trade Secret [] Chem. Name <u>TRIETHYLENE GLYCOL</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X]	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>9,999</u> Max. Daily Amount <u>9,999</u> Avg. Daily Amount <u>0</u> No. of Days On-site		1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
State Specific Information No State specific information				
CAS <u>1330207</u> Trade Secret [] Chem. Name <u>XYLENE</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X]	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>9,999</u> Max. Daily Amount <u>9,999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-XYLENE (CAS 1330207) Percentage-50.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
State Specific Information No State specific information				
CAS <u>1330207</u> Trade Secret [] Chem. Name <u>XYLENE</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X]	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>9,999</u> Max. Daily Amount <u>9,999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-XYLENE (CAS 1330207) Percentage-50.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
State Specific Information No State specific information				
CAS <u>1330207</u> Trade Secret [] Chem. Name <u>XYLENE</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X]	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>999</u> Max. Daily Amount <u>999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-XYLENE (CAS 1330207) Percentage-52.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Steel Drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>

Tier 2 Online Submission Report

E-Plan - University of Texas at Dallas

January 1, 2016 - December 31, 2016

Chemical Description	Physical & Health Hazards	Inventory	Mixture components	Storage locations and codes (Non- Confidential)
State Specific Information No State specific information				
CAS <u>108383</u> Trade Secret [] Chem. Name <u>XYLENE</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X]	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>9,999</u> Max. Daily Amount <u>9,999</u> Avg. Daily Amount <u>0</u> No. of Days On-site		1) WAREHOUSE: Type <u>Tote bin</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
State Specific Information No State specific information				
CAS <u>677312</u> Trade Secret [] Chem. Name <u>XYLENE</u> Pure [] Mixture [X] Solid [] Liquid [X] Gas [] EHS [] Below Reporting Thresholds [X]	Fire [] Pressure [] Reactive [] Acute [] Chronic []	<u>999</u> Max. Daily Amount <u>999</u> Avg. Daily Amount <u>0</u> No. of Days On-site	Chemical Name-XYLENE (CAS 677312) Percentage-100.0 Unit-Wt Max Amount Code-01	1) WAREHOUSE: Type <u>Steel Drum</u> , Pressure <u>Ambient pressure</u> , Temperature <u>Ambient temperature</u>
State Specific Information No State specific information				

State Specific Information

No State specific information

Certification

I certify under penalty of law that I have personally examined and am familiar with the information submitted in pages one through 32, and that based on my inquiry of those individuals responsible for obtaining the information, I believe that the submitted information is true, accurate and complete.

State of Louisiana

Name and official title of owner/operator OR owner/operator's authorized representative

Signature

Date signed